



**WÜRTH**

# WINDSCREEN WIPER BLADES

**#READY  
FOR WORK**



**OVER 20,000  
PRODUCTS**

**E-SHOP**

[www.wurth.com.au](http://www.wurth.com.au)



PULL

REAR



ON

OFF

INTL

**#READY  
FOR WORK**

# THE WURTH APP


## Pocket Size Power

- Technical information
- Mobile ordering
- SDS access

**And more...**

**SCAN TO DOWNLOAD  
THE WURTH APP TODAY!**

Download the Wurth app today to access premium functions and purchase products with ease.





# **WURTH WINDSCREEN WIPER BLADES – FOR EXCEPTIONAL CLARITY AND A FIRST CLASS VIEW**

Only Wurth windscreen wipers can give you that clear, smooth swipe for exceptional clarity and a first-class view!

Looking for a particular wiper?  
Match the right wiper online @  
**[www.wurth.com.au](http://www.wurth.com.au)**

#READY  
FOR WORK

# WIPER REFILLS



## Plastic Backed

Economical.  
Stiff plastic backing.



## Twin Rail with Clip

Vehicle specific application.  
Low profile OEM design.  
100% natural rubber.



## Twin Rail with Clipless

Suits wide range of vehicles.  
Customisable due to clipless technology.  
Low profile OEM design. 100% natural rubber.

## Rubber Blade, Flat, - Without Rail

Universal wiper refill, especially for the  
Würth Flatblade Pro wiper range.

# WIPER BLADES



---

## Conventional Standard

Natural rubber.  
Standard design.  
168 hours salt spray tested.  
Lower cost price.

**0848 270 ...**



---

## Conventional Premium

Better grade rubber.  
Smooth running.  
Aerodynamic design.  
Individual joints connected via stainless steel rivets.  
Longer lasting.

**0848 070 ...**



---

## Flatblade Exact Prime

Exclusive metal base adaptor system with 10 in 1 clip system to fit all vehicles in the world.

**0848 037 ...**



---

## Hybrid Elite

Matches OEM quality.  
Improved aerodynamics.  
Metal clip system for a wide range of vehicle fitment with multi adaptor.  
Clipless refillable blades can be easily inserted.

**0848 066 ...**




---

## Commercial Premium

The high-quality rubber ensures an efficient and long-lasting wiping result in any weather.  
The robust all-metal construction with corrosion protection and high-quality connecting joints allows an extra long service life.

A windscreen wiper which meets all OE specifications, made in Germany.

**0848 090 ...**



### Plastic Backed Wiper Refills

Wiper refills are polycarbonate backed.

- Extra durability and longer life.
- 100% Natural Rubber
- More efficient cleaning.
- Smooth operation.
- Longer lasting.

### Passenger Car Refills

Refill Length	Refill Width	Art. No.
610 mm	6.0 mm	<b>0848 610 60</b>
560 mm	8.0 mm	<b>0848 560 80</b>

### Truck, Bus & Light Commercial Refills

Refill Length	Refill Width	Art. No.
710 mm	8.0 mm	<b>0848 710 80</b>
1000 mm	8.0 - 9.5 mm - Multi-fit	<b>0848 100 095</b>

### Twin Rail Wiper Refills With Clip

Twin rail universal fit wiper refills with clip.

- Wiper Refills have metal reinforced frames.
- Low Profile, O.E.M. Design and extra durability.
- 100% Natural Rubber
- More efficient cleaning.
- Smooth operation.
- Longer lasting.

### Passenger Car Refills – Twin Rail O.E.M. Style with Clip

Refill Length	Refill Width	Art. No.
610 mm	6.0 mm	<b>0848 610 006</b>
610 mm	8.0 mm	<b>0848 610 008</b>
710 mm	8.0 mm	<b>0848 710 008</b>



### Twin Rail Wiper Refills –Clipless

**Universal rubber refill, fits on all conventional wipers.**

- Quick and easy mounting.
- Environmentally friendly.
- Can be cut to length.
- 100% natural rubber.
- Graphite coating for good wiping quality and long service life.

### Passenger Car Refills – Twin Rail O.E.M

Length	Profile thickness	Art. No.
600mm	6mm	<b>0848 070 601</b>
700mm		<b>0848 070 702</b>
700mm	7.5mm (Tapered)	<b>0848 070 801</b>
600mm	8mm	<b>0848 070 602</b>
700mm		<b>0848 070 701</b>
700mm		<b>0848 070 802</b>

### Rubber Refill Without Rail

**Universal wiper refill, especially for the Würth Flatblade Exact Prime wiper range.**

- Quick and easy mounting.
- Environmentally friendly.
- Can be cut to length.

100% natural rubber.

With graphite coating for good wiping quality and long service life.

### Replacment Rubber Refill

Length	Profile thickness	Art. No.
750mm	6mm	<b>0848 030 701</b>
	8mm	<b>0848 030 702</b>

# STANDARD CONVENTIONAL WIPER BLADES

## Practical packaging with perforation.

Low stocking costs.

Lean assortment.

High market coverage due to individual equipping of vehicles.

## Profile edge protection.

Protects graphite coating of rubber profile in the packaging.

## Natural rubber wiping lip with graphite coating.

Extremely smooth-running.

UV and ozone-resistant.

High operating temperature range.

## Pre-mounted multi-adapter included in package.

For fast and easy mounting with a high market coverage.

## Metal bar system with stainless-steel rivets.

Highly resistant to the effects of weathering (168 hrs. in salt spray test according to SAE J903C).

## Stainless-steel pin joints on plastic mounts.

Enable smooth running of wiper blade with long service life.

---

### Wiper Blade – Standard

Individually packed, standard wiper blades with 168 hours of salt spray testing.

280/300/325/350/380/400/425/450/475/500/525/550/600/650/700mm

Art. No. 0848 270 . . .



---

### Wiper Blade Refills

**Clipless - 6mm – 600mm** Art. No. 0848 070 601 Qty 20

**Clipless - 6mm – 700mm** Art. No. 0848 070 702 Qty 20

**Clip - 6mm – 610mm** Art. No. 0848 610 006 Qty 20





**Resealable individual packaging.**

Lengths can be individually customised. Low storage costs and minimal space requirement.

**Robust metal bar system.**

Individual joints connected via stainless steel rivets. High resistance to weathering. Stainless steel pin joints in plastic casing. Quiet wiper blade behaviour on the windscreen.

**Refillable (replacement rubber wiper blade).**

Optimised storage costs. Protecting resources (environment).

**Wiper Blade – Premium**

Individually packed, standard wiper blades with 480 hours of salt spray testing.

280/300/325/350/380/400/425/450/475/500/525/550/600/650/700mm

Art. No. 0848 070 . . .



**Wiper Blade Refills**

**Clipless - 6mm – 600mm** Art. No. 0848 070 601 Qty 20

**Clipless - 6mm – 700mm** Art. No. 0848 070 702 Qty 20

**Clip - 6mm – 610mm** Art. No. 0848 610 006 Qty 20



# HYBRID ELITE WIPER BLADES

## Resealable individual packaging.

Lengths can be individually customised. Low storage costs and minimal space requirement.

## Improved aerodynamics.

Allows higher travelling speeds than standard windscreen wipers.

## Robust metal bar system.

Individual joints connected via stainless steel rivets. High resistance to weathering. Stainless steel pin joints in plastic casing. Quiet wiper blade behaviour on the windscreen.

## Refillable (replacement rubber wiper blade).

Optimised storage costs.

Protects resources (environment).

---

### Wiper Blade

With pre-mounted multi-adapter.

350/400/425/450/475/500/525/550/600/650/700mm

Art. No. 0848 066 . . .



---

### Wiper Blade Refills

**Clipless - 8mm - 600mm** Art. No. 0848 070 602 Qty 20

**Clipless - 8mm - 700mm** Art. No. 0848 070 701 Qty 20



# PREMIUM COMMERCIAL WIPER BLADES

## Highest quality and long service life.

The high-quality rubber ensures an efficient and long-lasting wiping result in any weather.

The robust all-metal construction with corrosion protection and high-quality connecting joints allows an extra long service life.

A windscreen wiper which meets all OE specifications, made in Germany.

## Easy to use with wide coverage.

Simple and fast assembly thanks to the original OE adapters.

Extensive coverage of up to 94% of the European fleet.

Truck wiper (500 mm - 700 mm) in double pack, bus wiper (800 mm - 1000 mm) in single pack.

---

### Wiper Blade

Premium truck and bus windscreen wipers in OE quality.

500/550/600/650/700/800/900/1000mm

**Art. No. 0848 090 . . .**



# FLATBLADE EXACT PRIME WIPER BLADES

## 99% market coverage.

Thanks to the availability of adapters for all conventional OE interfaces

## Resistant to deformation with all weather, even at high speed.

Aerodynamic design with superior rubber to eliminate wind lift.

## Ensures entire contact even with high curvature windscreens.

Memory curved steel spring.

## Outstanding wiping performance and quieter operation.

Precision cut wiping edge.

## Add value of resist aging speed in extreme UV exposure environment.

Nano and graphite coating.

## Long service life.

Premium natural rubber treated with a Nano graphite coating, ensures a resistance of 800k cycles of use.

### Wiper Blade

Suitable for vehicles with OE fittings or hook attachments.

325/350/375/400/425/450/475/500/525/550/575/600/625/650/675/700/750mm

Art. No. 0848 037 . . .



### Wiper Blade Refills

Without rail - 6mm - 750mm Art. No. 0848 030 701 Qty 20

Without rail - 8mm - 750mm Art. No. 0848 030 702 Qty 20



# SUPER DE-ICER SPRAY

Quickly and effectively removes ice and white frost and Methanol-free

Art. No. 0892 331 201























# RAPID WINDSCREEN CLEANER

Cleaning foam for glass and smooth surfaces.

Art. No. 0892 333 . . .





# SELECTION GUIDE CHART

PRODUCT ROADMAP										
Category	Image	Segment	Designation	Art.No.	Applicable region	Recommend channel	Wiping performance (Cycles)	300k cycles wiping later	Recommend replace period	
Conventional		OES	Classic	<b>0848 070 ...</b>	All regions	 	1000k		20 months	
		Aftermarket	Standard	<b>0848 270 ...</b>	All regions	 	500k		9 months	
Flat		Aftermarket	Prime	<b>0848 037 ...</b>	All regions	 	800k		18 months	
Hybrid		OEM	Elite	<b>0848 066 ...</b>	Regions where left-hand driving	 	1500k		24 months	
Commercial		Aftermarket	Premium	<b>0848 090...</b>	All regions	 	500k		9 months	

Official/Dealer workshop

Independent workshop

Gas stations



●●○○ Average  
●●●○ Good  
●●●● Excellent

FEATURE					SPECIFICATION				APPLICATION	
Stability	Silence	Pressure distribution	Anti-wind lift	Corrosion Resistance	Spoiler	Rubber	Coating	Structure	Easy Fit	Adaptor system
●●●●	●●●●	●●●●	●●●●	●●●●	Metal frame 1.2mm thickness + rivet connection	CR Rubber	Graphite	double stainless steel backing	●●●●	1+1
●●●○	●●●○	●●●○	●●●○	●●●○	Metal frame 1.2mm thickness + Rivet connection	Nature Rubber (A)	Graphite	double stainless steel backing	●●●●	1+1
●●●○	●●●○	●●○○	●●○○	●●○○	Aerodynamic with PVC material	Nature Rubber (A)	Graphite	8 mm Memory Spring rail + double backing	●●○○	10 in 1
●●●●	●●●●	●●●●	●●●●	●●●●	ABS + metal 5 Section	Japan FUKOKU rubber	Graphite	double stainless steel backing	●●●●	1
●●●●	●●●○	●●●○	●●●○	●●●○	Reinforced metal frame 1.6mm thickness + Rivet connection	Nature Rubber (A)	Graphite	Reinforced double stainless steel backing	●●●○	1+2



**#READY  
FOR WORK**

## WINDSCREEN WIPER BLADES

### Wurth Australia Pty. Ltd. Head Office

Building 5, 43 - 63 Princes Highway,

Dandenong South, VIC. 3175

T: 1300 65 77 65 (Local Call)

Info@wurth.com.au

F: 1800 03 23 96

www.wurth.com.au



PUB50 March 202w. Photographs are for illustrative purposes only and may not represent actual products.

We reserve the right to correct printing errors. Wurth is a registered trademark of Wurth International AG. ABN 48 002 487 096. All information, images and content is copyright of Wurth Australia Pty. Ltd.